

**VÍTKOVICE CYLINDERS a.s.**

Ruská 24/83,  
706 00 Ostrava - Vítkovice  
Czech Republic  
Fax.: 00420/596 664 642  
IČ : 25849026

**Cylinders  
Holding****EU DECLARATION OF CONFORMITY No.: 19272111**

EU PROHLÁŠENÍ O SHODĚ č.:

According to Annex IV of Directive 2014/68/EU, implemented by Czech law  
No. 90/2016 and by Czech government regulation No. 219/2016.

podle přílohy IV směrnice 2014/68/EU, implementované zákonem ČR č. 90/2016 Sb. a Nařízením vlády ČR č. 219/2016 Sb.

**Customer /Zákazník****FHU "OPTIMAL-BIS" DANUTA  
KOSMALSKA****Contract No. /Smlouva č.**

-

**Shop order No./Zakázka č.****OL192721****Product/Výrobek****Seamless steel cylinders for breathing  
apparatus****Bezešvé ocelové lahve pro dýchací přístroje****Type/Typ - Dimensions/ Rozměry****7 L - D 140/3,8 mm****Working pressure/Test pressure****300 / 450 bar**

Pracovní přetlak/ Zkušební přetlak

**Quantity/ Množství****50 pcs****Production numbers /Výrobní čísla****15208885-15208934****Customer numbers /Zákaznická čísla**

-

**Drawing No. /Výkres č.****LA 4 - 0473 Rev. 2****Technical standard/Technická norma****EN ISO 9809-2****Material/Materiál - Heat/Tavba = Heat code/Krýcí znak tavby****34CrMo4 - 902904=V6****Test lot /Zkušební skupina****V6/2****Paint/Nátěr****RAL 9010**

We declare that cylinders are in conformity with the type as described in the EC type examination certificate No. 12.154.278 and satisfy the requirements of the Directive 2014/68/EU, implemented by Czech law No. 90/2016 and by Czech government regulation No. 219/2016.

Prohlašujeme, že lahve se shodují s typem popsáním v certifikátu příslušného typu 12.154.278 a splňují požadavky směrnice 2014/68/EU implementované zákonem č. 90/2016 Sb. a NV č. 219/2016 Sb.

**Conformity assessment procedure - Module: B (EC type - examination) + C1 (conformity to type)**

Postup vyhodnocení shodnosti - modul : B (ES přezkoušení typu) + C1 (shodnost s typem)

**The monitoring is performed by:**  
Dozor se provádí prostřednictvím :**TÜV SÜD Czech s.r.o., Novodvorská 994, 142 21 Praha 4, Czech Republic**  
Identification No.: 1017  
Identifikační číslo : 1017**Enclosure : List of production numbers of supplied cylinders**

Příloha : Seznam výrobních čísel dodaných lahví

All prescribed inspections and tests were carried out in accordance with the purchase contract and the above-mentioned standard and were satisfactory. The cylinders were stamped with the mark of conformity CE 1017. Všechny předepsané kontroly a zkoušky byly provedeny v souladu s kupní smlouvou a výše uvedenou normou a byly vyhovující. Lahve byly označeny značkou shody CE 1017.

V Ostravě dne: 17.3.2020

**Authorized representative of producer :**  
Oprávněný zástupce výrobce:

Jiří Písečný

QC departement - Řízení kvality

**VÍTKOVICE CYLINDERS a.s.**

Ruská 24/83

706 00 Ostrava-Vítkovice

(A)

Order number	Customer	Cylinder type		
OL192721	FHU "OPTIMAL-BIS" DANUTA KOSMALSKA	7 L oxygen, nitrox or air		
Pieces	Test pressure	Year / Month		
50	450,00 bar	2020 / 3		
Production number	Customer number	Testing group	Cylinder weight	Capacity
15208885		V6/2	10,60	7,00
15208886		V6/2	10,50	7,00
15208887		V6/2	10,60	7,00
15208888		V6/2	10,60	7,00
15208889		V6/2	10,60	7,00
15208890		V6/2	10,60	7,00
15208891		V6/2	10,50	7,00
15208892		V6/2	10,60	7,00
15208893		V6/2	10,50	7,00
15208894		V6/2	10,60	7,00
15208895		V6/2	10,50	7,00
15208896		V6/2	10,30	7,00
15208897		V6/2	10,60	7,00
15208898		V6/2	10,60	7,00
15208899		V6/2	10,50	7,00
15208900		V6/2	10,60	7,00
15208901		V6/2	10,60	7,00
15208902		V6/2	10,60	7,00
15208903		V6/2	10,60	7,00
15208904		V6/2	10,60	7,00
15208905		V6/2	10,60	7,00
15208906		V6/2	10,60	7,00
15208907		V6/2	10,60	7,00
15208908		V6/2	10,50	7,00
15208909		V6/2	10,60	7,00
15208910		V6/2	10,60	7,00
15208911		V6/2	10,50	7,00
15208912		V6/2	10,50	7,00
15208913		V6/2	10,60	7,00
15208914		V6/2	10,60	7,00
15208915		V6/2	10,50	7,00
15208916		V6/2	10,60	7,00
15208917		V6/2	10,50	7,00
15208918		V6/2	10,60	7,00
15208919		V6/2	10,50	7,00
15208920		V6/2	10,60	7,00
15208921		V6/2	10,50	7,00
15208922		V6/2	10,60	7,00
15208923		V6/2	10,50	7,00
15208924		V6/2	10,50	7,00
15208925		V6/2	10,50	7,00
15208926		V6/2	10,50	7,00
15208927		V6/2	10,50	7,00
15208928		V6/2	10,50	7,00
15208929		V6/2	10,50	7,00
15208930		V6/2	10,50	7,00
15208931		V6/2	10,50	7,00
15208932		V6/2	10,50	7,00
15208933		V6/2	10,50	7,00
15208934		V6/2	10,60	7,00


<b>VÍTKOVICE CYLINDERS a.s.</b> Ruská 24/83, 706 00 Ostrava - Vítkovice Czech Republic Fax.: 00420/596 664 642 IČ : 25849026	 <b>Vítkovice Cylinders</b>	
---	--	---

## Instruction for application

(drawing LA4-0473rev2)  
(order no. OL192721)

These seamless steel cylinders are defined for portable respiration apparatuses \*.  
These cylinders are on compressed air, oxygen and other respiration mixtures and designed as portable cylinders for the divers, firemen, persons working with asbestos and the like.  
These cylinders are defined for the installation at oxygen/air facilities of the hospitals. \*

### Description of stamping



### Operation instructions

Maximal working overpressure in bar at steady temperature 15 °C is stated in stamping (PS).


The cylinder can be operated only in the range of temperatures: low temperature -stated in stamping , upper temperature +60°C for entirely filled cylinder and in other cases it is such that at certain level of cylinder filling pressure shall not exceed value 0,75 x testing pressure (PT).

The cylinders shall be stored, handled and used in a way to prevent from :

- their damage and change of shape that can result in safety reduction (scratches, dead holes and the like.)
- temperature exceed of cylinder and its medium above 60 °C for entirely filled cylinder
- formation of excessive surface or pitting corrosion, rusting or contamination of inside surface

**VÍTKOVICE CYLINDERS a.s.**

Ruská 24/83,  
706 00 Ostrava - Vítkovice  
Czech Republic  
Fax.: 00420/596 664 642  
IČ : 25849026

**Vítkovice  
Cylinders****Application**

The cylinders can be used exclusively for the medium stated in stamping .

The cylinders can be filled only by the authorized organization - assigned with the applicable regulations and in compliance with the applicable technical instructions and standards.

Repairs with welding, material heating of cylinders without medium above 300 °C, any interventions in cylinders construction, not approved changes in stamping are strictly forbidden.

**Maintenance and inspection**

The cylinders shall be subject to inspections in periods assigned in the applicable instructions and standards. The inspection shall be done only by authorized inspector.

In case of damage of cylinder surface (scratches, tears, deformations, excessive surface corrosion, pitting corrosion and the like) or cylinder exposure to influences that could deteriorate its material properties or damage the cylinder (exposure to temperature above 300 °C, internal overpressure higher than testing pressure (PT) for more than 3 % and so on) the cylinder shall be subject to not planned inspection and proceed further according to the inspector's decision.

The cylinders that do not satisfy shall not be in operation. The cylinders defined for disposal shall be physically scrapped. The cylinder material (low-alloy steel) is completely recycled, for ex. through the scrap yards. The cylinders can be also returned for disposal to the producer.

*Note.: \* Respiration apparatus is a personal protective means and so it shall be carried and kept by the individual.*

Prepared by:

Jan ŠIGUT

VÍTKOVICE CYLINDERS a.s.

050.30- Products and tooling development and Automotive

Date: 13.02.2020

Approved by:

Ing. Aleš MUSIAL

VÍTKOVICE CYLINDERS a.s.

050.30- Products and tooling development and Automotive

Date: 13.02.2020

**VÍTKOVICE CYLINDERS a.s.**

Ruská 24/83

706 00 Ostrava-Vitkovice

(26)